

Noelson Chemicals

www.noelson.com

Ver: 2 (June 1, 2023)

Formulation Guideline High Build Glass Flake Heavy Duty Coating

Guideline:

Part A

Product Name	Suggested Amount %
Epoxy resin	45.0
Benzyl alcohol	6.0
Dibutyl phthalate	3.0
Silane coupling agent	1.0
Dispersing agent	0.5
Degassing agent	0.35
Leveling agent	0.35
Anti-setting agent	1.0
Fumed silica	1.5
NoelsonChem™ Glass Flake	15.0
NoelsonChem™ Aluminum Tripolyphosphate	6.0
Barium sulfate	7.5
Talc filler	5.0
TiO ₂	8.0

Part B

Product Name	Suggested Amount %
Epoxy resin hardener	100.0

A/B = 4:1 (by weight)

Disclaimer:

The guideline is provided for informational purposes only.

Disclaimer: All information is made "as is" with no guarantee as to its accuracy or completeness, and without any claim, representation, or warranty of any kind (express or implied), including without limitation, any warranties of suitability, reliability, applicability, merchantability, fitness, noninfringement, result, outcome, or any other matter. We expressly disclaim all liability in respect to actions taken or not taken based on any of the contents herein.